

PALLET JACK STANDARD



ON SALE NOW

CJ55

27" x 48" or 20.5" x 48"

\$339⁰⁰ each

(plus freight & HST)



Frame

- Rugged Heavy Duty Frame constructed of one-piece formed channel steel offering light weight strength.

Forks

- Reinforced for added strength with tapered ends for easy pallet entry.

Paint

- The CJ55 series boasts a quality Powder Coat finish.

Hydraulic Pump

- Quality design complete with a special lowering valve allowing controlled rate of descent, and an overload by-pass valve.

Handle

- Featuring a reinforced base, the spring-a-matic handle returns to the upright position automatically.

Control Handle

- The control handle has three positions (raise/neutral/lower) fingertip control. Ergonomically designed and free of pinch points.

Pump Stroke

- Features a full 90 degree top to bottom stroke requires only 10 strokes to raise the forks to the maximum lift.

Load Rollers

- Features 2.9" polyurethane rollers with sealed bearings.

Steering

- Featuring 200 degree pivot action for greater maneuverability with 7" polyurethane wheels, sealed bearings and "Ball-Thrust" steering.

Hangers

- The one piece hangers are constructed of Iron Cast for greater strength and longevity.

Helper Rollers

- Features 4 helper rollers for easy exit and entry of pallets.

Pivot Points

- The CJ55 features grease fittings and bushings at all pivot points for easy maintenance.

CJ55

Load Capacity	5500 lbs.
Fork Length	48"
Overall Fork Widths	20.5"/27"
Lowered Fork Height	2.9"
Raised Fork Height	7.8"
Fork Width	6.5"
Weight	170 lbs.
Steer Wheels	7"
Load Rollers	2.9" x 3.6"
Wheels/Rollers	Polyurethane



LONDON, Ontario

331 Sovereign Road
London, ON N6M 1A6
Phone: 519-452-7770
Email: info@liftdepot.com

WINDSOR, Ontario

2-5900 Rhodes Drive
Windsor, ON N8N 2M1
Phone: 519-988-0006
Email: info@liftdepot.com

STRATFORD, Ontario

557 Lorne Ave. East
Stratford, ON N5A 6S4
Phone: 519-273-7664
Email: info@liftdepot.com

CAMBRIDGE, Ontario

45 Barnes Road
Cambridge, ON N3H 4R7
Phone: 519-653-4713
Email: info@liftdepot.com